1999 ET INDEX — Experimental Techniques Title and Author Index

TITLE INDEX

Automotive NVH Series: Part 4 - Lab Operations, M. French and M. Jay, 38-40, Jan/Feb.
Data Acquisition Series: Part 1 - Digital Data: Sample Rate, Aliasing and Signal Attenuation, S.O. Fahey and A. L. Wicks, 38-40, Sept/Oct.
Effectiveness of Grate Orientation in Flow Channels, A.N. Papanicolaou, M.E. Barber, 21-24, Mar/Apr.
Efficient Sampling Technique Applied in an Acoustic Doppler Current Meter, T.L. Lago, S. Olsson,and P. Eriksson, Nov/Dec.
Electromagnetic Confinement for Dynamic Multiaxial Compression Experiments, W. Chen, 24-26, Jul/Aug.
Evaluation of Residual Deformations in Ion Implanted Steel Plates by Means of TV Holography, G.H. Kaufmann, G.E. Galizzi, F.V. Diaz, 20-22, Jan/Feb.
Experimental Analysis of a Hybrid Bicycle Frame, D. D. Arola, P. G. Reinhall, S. C. Iverson, Mi G. Jenkins, 21-24, May/June.
Experimental Optimisation of an Opto-Pneumatic Interface, G. Belforte, G. Eula, 26-29, Jan/Feb.
Experimental Procedures to Measure Internal Strains in Concrete Physical Models, S.D. Butt, J.E. Gale, G.D. Dillabough and P. Lemessurier, Nov/Dec.
Formation of Specimen Gratings for Moire Interferometry Applications, Y. Guo, P. Ifju, R. Boemon, F. Dai, 28-32, Sept/Oct.
Fusion of Digital Photoelasticity Rapid Prototyping and Rapid Tooling Technologies, K. Ramesh, M. Anil Kumar, Sanjay G. Dhande, 36-38, Mar/Apr.
Generation of Apparent Strain Calibration Curves for Structural Materials at Elevated Temperature, K. Kesavan, K. Ravisankar, T. Narayanan, S. Parivallal, , Nov/Dec.
Lab Development Series: Part 1 An Introduction to Lab Development, M. French, 39- 41, Mar/Apr
Lab Development Series: Part 2 Laboratory Layout and Design, M. French, 35-37, May/Jun.
Lab Development Series: Part 3 Equipment Service and Installation, M. French, 39-41, Jul/Aug.
Lab Development Series: Part 4 Lab Commissioning, M. French. 46-47, Sept/Oct.
Lab-Scale Digital Acoustic Emission System for Source Location, M.-H. Yang, C.-P. Chou, 32-35, Jul/Aug.
Mechanical Fringe Shifting in Moire Interferometry, B. Han, D. Columbus, Z. Wu, J. Lu, 16-19, Jan/Feb.
Meso-Mechanical Investigation of the Three Dimensional Displacement Fields Around a Crack Tip, J. Z. Pan, Z. Dabin, M. Zhang, 27-31, Jul/Aug.
Method of Optimization of Structures, L. Ratner, 26-30, Mar/Apr.
Microtensile Properties of Weld Metal, D. LaVan, 31-34, May/June.
New Device for Determining the Level of Charge in Batteries, P. Cappa, L. Fedele, V. Naso, 23-27, Sept/Oct.
Role of Photelasticity in Evolving Discretisation Schemes for FE Analysis, K. Ramesh, P.M. Pathak, 36-38, Jul/Aug .
Sensor Installation in Rigid Pavement, S. M. Sargand, I. S. Khoury, 25-27, May/June
Shape Measurements on Large Surfaces by Fringe Projection, M. Lehmann, P. Jacquot, M. Facchini, 31-35, Mar/Apr.
Statistical Series: Part 8 Whose Model Iis Is?: Bridging the Gap Between Engineering and Statistics, P. Lenk, 34-36, Jan/Feb.
Structural Testing: Part 2 Dynamic Measurements on Stay Cables of Cable-stayed Bridges Using an Interferometry Laser System, A. Cunha, and E. Caetano, 38-43, May/June.
Structural Testing: Part 3 Experimental Assesment of Vibration Serviceability of Existing Office Floors Under Human-Induced Excitation, A. Pavic and P. Reynolds, 41-45, Sept/Oct.
Superficial Residual Stress Analysis in a Photoelastic Medium by Phase Shifting Technique, A. Zenina, J.-C. Dupre, A. Lagarde, 22-25, Jan/Feb.
Test Apparatus for Measuring the Biaxial Strength of Brittle Materials, J. A. Salem, M. G. Jenkins, 19-23, Jul/Aug.
Testing of Spot Welded Coupons in Combined Tension and Shear, M.E. Barkey, H. Kang, 20-22, Sept/Oct .
Thermoelasticity and the Design of Force Transducers, Y. P. Stepanenko, L. P. Lebedev, 33-37, Sept/Oct.
Thin Film Gage Makers for Laser-Based Strain Measurements on MEMS Materials, J. C. Fox, R. L. Edwards, W. N. Sharpe, Jr., 28-30, May/June.
What Makes A Good Impact Function?, M. French, Nov/Dec.
Whole Field Determination of Isoclinic and Isochromatic Parameters, N. Plouzennec, J. –C. Dupre, A. LaGarde, 30-33, Jan/Feb.

COHERENT OPTICAL NDT

CONFIGURATIONS:

◆HOLOGRAPHY
◆SHEAROGRAPHY
◆SPECKLE CORRELATION
◆PROJECTED FRINGE MOIRÉ

APPLICATIONS:

- Real-Time Phase Step Imaging
- Full Field Vibration Mode Display
- Instantaneous Static Load Analysis
- Live Jo, Cosine, or Phase Fringes
- Robust Phase Unwrap Program
- Point-and-Shoot Configuration

Karl Stetson Associates
2060 South Street, Coventry, CT 06238
Phone/fax 860/742-8414
Email kstetson@pcholo.com.
www.pcholo.com

PIEZOELECTRIC VIBRATION SENSORS

Broad Range of Models for:

- Industrial Monitoring
- Environmental Stress Screening (ESS)
- Vibration Table Control
- Modal Analysis
- Laboratory / R&D

FREE 96-page Catalog

CALL: 818-700-7818
FAX: 818-700-7880

Web Site: www.dytran.com
E-Mail: info@dytran.com

DYTRAN INSTRUMENTS, INC.
21592 MARILLA STREET
CHATSWORTH, CA 91311

1999 ET INDEX

AUTHOR INDEX

Arola, Dwayne D., An Experimental Analysis of a Hybrid Bicycle Frame, 21-24, May/Jun.
Barber, M.E., Effectiveness of Grate Orientation in Flow Channels, 21-24, Mar/Apr.
Barkey, M.E., Testing of Spot Welded Coupons in Combined Tension and Shear, 20-22, Sept/Oct.
Belforte, G., Experimental Optimisation of an Opto-Pneumatic Interface, 26-29, Jan/Feb.
Boemon, R., Formation of Specimen Gratings for Moire Interferometry Applications, 28-32, Sept/Oct.
Butt, S.D., Experimental Procedures to Measure Internal Strains in Concrete Physical Models, 36-38, Nov/Dec.
Caetano, E., Structural Testing: Part 2 Dynamic Measurements on Stay Cables of Cable-stayed Bridges Using an Interferometry Laser System, 38-43, May/June.
Cappa, P., A New Device for Determining the Level of Charge in Batteries, 23-27, Sept/Oct.
Chen, W., Electromagnetic Confinement for Dynamic Multiaxial Compression Experiments, 24-26, Jul/Aug.
Chou, C.-P., A Lab-Scale Digital Acoustic Emission System for Source Location, 32-35, Jul/Aug.
Columbus, D., Mechanical Fringe Shifting in Moire Interferometry, 16-19, Jan/Feb.
Cornwell, P.J., Structural Testing Series: Part 4 Environmental Variability of Modal Properties, 45-48, Nov/Dec.
Cunha, A., Structural Testing: Part 2 Dynamic Measurements on Stay Cables of Cable-stayed Bridges Using an Interferometry Laser System, 38-43, May/June.
Dabin, Z., Meso-Mechanical Investigation of the Three Dimensional Displacement Fields Around a Crack Tip, 27-31, Jul/Aug.
Dai, F., Formation of Specimen Gratings for Moire Interferometry Applications, 28-32, Sept/Oct.
Dhande, S. G., Fusion of Digital Photoelasticity Rapid Prototyping and Rapid Tooling Technologies, 36-38, Mar/Apr.
Diaz, F.V., Evaluation of Residual Deformations in Ion Implanted Steel Plates by Means of TV Holography, 20-22, Jan/Feb.
Dillabough, G.D., Experimental Procedures to Measure Internal Strains in Concrete Physical Models, 36-38, Nov/Dec.
Doebling, S.W., Structural Testing Series: Part 4 - Environmental Variability of Modal Properties, 45-48, Nov/Dec.
Dupre, J.-C. Superficial Residual Stress Analysis in a Photoelastic Medium by Phase Shifting Technique, 22-25, Jan/Feb.
Dupre, J.-C., Whole Field Determination of Isoclinic and Isochromatic Parameters, 30-33, Jan/Feb.
Edwards, R.L., Thin Film Gage Makers for Laser-Based Strain Measurements on MEMS Materials, 28-30, May/Jun.
Eriksson, P., An Efficient Sampling technique Applied in an Acoustic Meter, 29-31, Nov/Dec.
Eula, G, Experimental Optimisation of an Opto-Pneumatic Interface, 26-29, Jan/Feb.
Facchini, M, Shape Measurements on Large Surfaces by Fringe Projection, 31-35, Mar/Apr.
Fahey, S.O'F., Data Acquisition Series: Part 1 Digital Data: Sample Rate, Aliasing and Signal Attenuation, 38-40, Sept/Oct.
Farrar, C.R., Structural Testing Series: Part 4 Environmental Variability of Modal Properties, 45-48, Nov/Dec.
Fedele, L. A New Device for Determining the Level of Charge in Batteries, 23-27, Sept/Oct.
Fox, J. C., Thin Film Gage Makers for Laser-Based Strain Measurements on MEMS Materials, 28-30, May/Jun.
French, M., Automotive NVH Series: Part 4 - Lab Operations, 38-40, Jan/Feb.; Lab Development Series: Part 1 - An Introduction to Lab Development, 39- 41, Mar/Apr; Lab Development Series: Part 2 - Laboratory Layout and Design, 35-37, May/Jun; Lab Development Series: Part 3 - Equipment Service and Installation, 39-41, Jul/Aug; Lab Development Series: Part 4 - Lab Commissioning, 46-47, Sept/Oct.; What Makes A Good Impact Function?, 33-35, Nov/Dec.
Gale, J.E., Experimental Procedures to Measure Internal Strains in Concrete Physical Models, 36-38, Nov/Dec.
Galizzi, G.E., Evaluation of Residual Deformations in Ion Implanted Steel Plates by Means of TV Holography, 20-22, Jan/Feb.
Guo, Y., Formation of Specimen Gratings for Moire Interferometry Applications, 28-32, Sept/Oct.
Han, B., Mechanical Fringe Shifting in Moire Interferometry, 16-19, Jan/Feb.
Ifju, P., Formation of Specimen Gratings for Moire Interferometry Applications, 28-32, Sept/Oct.
Iverson, S. C., An Experimental Analysis of a Hybrid Bicycle Frame, 21-24, May/Jun.
Jacquot, P., Shape Measurements on Large Surfaces by Fringe Projection, 31-35, Mar/Apr.
Jay, M., Automotive NVH Series: Part 4 - Lab Operations, 38-40, Jan/Feb.

Laser system for measuring
Dynamic and static behavior
of large structures

Vibration, Deflection, Displacement, Torsion, Movement of Bridges, Girders, Chimneys, Masts, Buildings

Two dimensional ● Over long distances ● Non-contact measurement ● For outdoor use ● Portable ● Eye-safe ● Easy to use





Ask for more information

noptel

Noptel Oy, Teknologiantie 2, 90570 Oulu, Finland
Tel +358-8-551 4351, Fax. +358-8-556 4101
Email: info@noptel.fi, Web: http://www.noptel.fi/

AT THE FOREFRONT OF OPTICAL MEASUREMENT TECHNOLOGY

S Strahan Associates
Automotive Industry Specialists

Strahan Associates is a recruiting firm specializing in the recruitment and placement of individuals in the field of Experimental Mechanics. Our clients include Tier 1 Automotive and Aerospace suppliers along with automotive OEM's.

Current Searches include:
Sales – Vibration Products
FEA Analysis Engineer - Engines
Test Application Engineer
NVH Manager – Braking
Sr. Test Engineer – Chassis
Acoustical – Under the hood
Systems Test – Brakes
Dyno Supervisor – Engines
Analytical NVH Engineer



Strahan Associates
Linda Strahan – President
Phone: (317) 770-9896 Fax: (317) 770-1033
Email: Lstrahan@netdirect.net

1999 ET INDEX

Jenkins, M.G., A Test Apparatus for Measuring the Biaxial Strength of Brittle Materials, 19-23, Jul/Aug; An Experimental Analysis of a Hybrid Bicycle Frame, 21-24, May/Jun.
Kang, H., Testing of Spot Welded Coupons in Combined Tension and Shear, 20-22, Sept/Oct.
Kaufmann, G.H., Evaluation of Residual Deformations in Ion Implanted Steel Plates by Means of TV Holography, 20-22, Jan/Feb.
Kesavan, K., Generation of Apparent Strain Calibration Curves for Structural Materials at Elevated Temperature, 39-41, Nov/Dec.
Khoury, I.S., Sensor Installation in Rigid Pavement, 25-27, May/Jun.
Kumar, M.A., Fusion of Digital Photoelasticity Rapid Prototyping and Rapid Tooling Technologies, 36-38, Mar/Apr.
Lagarde, A., Superficial Residual Stress Analysis in a Photoelastic Medium by Phase Shifting Technique, 22-25, Jan/Feb.
LaGarde, A., Whole Field Determination of Isoclinic and Isochromatic Parameters, 30-33, Jan/Feb.
Lago, T.I., An Efficient Sampling technique Applied in an Acoustic Meter, 29-31, Nov/Dec.
LaVan, D., Microtensile Properties of Weld Metal, 31-34, May/Jun.
Lebedev, L.P., Thermoelasticity and the Design of Force Transducers, 33-37, Sept/Oct.
Lehmann, M., Shape Measurements on Large Surfaces by Fringe Projection, 31-35, Mar/Apr.
Lemessurier, P., Experimental Procedures to Measure Internal Strains in Concrete Physical Models, 36-38, Nov/Dec.
Lenk, P., Statistical Series: Part 8 - Whose Model Is It?: Bridging the Gap Between Engineering and Statistics, 34-36, Jan/Feb.
Lu, J., Mechanical Fringe Shifting in Moire Interferometry, 16-19, Jan/Feb.
Narayanan, R.,Generation of Apparent Strain Calibration Curves for Structural Materials at Elevated Temperature, 39-41, Nov/Dec.
Narayanan, T., Generation of Apparent Strain Calibration Curves for Structural Materials at Elevated Temperature, 39-41, Nov/Dec.
Naso, V., A New Device for Determining the Level of Charge in Batteries, 23-27, Sept/Oct.
Olsson, S., An Efficient Sampling technique Applied in an Acoustic Meter, 29-31, Nov/Dec.
Pan, J. Z., Meso-Mechanical Investigation of the Three Dimensional Displacement Fields Around a Crack Tip, 27-31, Jul/Aug.
Papanicolaou, A.N., Effectiveness of Grate Orientation in Flow Channels, 21-24, Mar/Apr.
Parivallal, S., Generation of Apparent Strain Calibration Curves for Structural Materials at Elevated Temperature,39-41, Nov/Dec.
Pathak, P.M., Role of Photelasticity in Evolving Discretisation Schemes for FE Analysis, 36-38, Jul/Aug.
Pavic, A,. Structural Testing: Part 3 Experimental Assesment of Vibration Serviceability of Existing Office Floors Under Human-Induced Excitation, 41-45, Sept/Oct.
Plouzennec, N., Whole Field Determination of Isoclinic and Isochromatic Parameters, 30-33, Jan/Feb.
Ramesh, K., Fusion of Digital Photoelasticity Rapid Prototyping and Rapid Tooling Technologies, 36-38, Mar/Apr.
Ramesh, K., Role of Photelasticity in Evolving Discretisation Schemes for FE Analysis, 36-38, Jul/Aug.
Ratner, L., Method of Optimization of Structures, 26-30, Mar/Apr.
Ravi Sankar, K., Generation of Apparent Strain Calibration Curves for Structural Materials at Elevated Temperature,39-41, Nov/Dec.
Reinhall, P.G., An Experimental Analysis of a Hybrid Bicycle Frame, 21-24, May/Jun.
Reynolds, P., Structural Testing: Part 3 - Experimental Assesment of Vibration Serviceability of Existing Office Floors Under Human-Induced Excitation, 41-45, Sept/Oct.
Salem, J. A., A Test Apparatus for Measuring the Biaxial Strength of Brittle Materials, 19-23, Jul/Aug.
Sargand, S. M., Sensor Installation in Rigid Pavement, 25-27, May/Jun.
Sharpe, Jr., W. N., Thin Film Gage Makers for Laser-Based Strain Measurements on MEMS Materials, 28-30, May/Jun.
Sohn, H., Structural Testing Series: Part 4 - Environmental Variability of Modal Properties, 45-48, Nov/Dec.
Stepanenko, Y. P., Thermoelasticity and the Design of Force Transducers, 33-37, Sept/Oct.
Wicks, A.L., Data Acquisition Series: Part 1 - Digital Data: Sample Rate, Aliasing and Signal Attenuation, 38-40, Sept/Oct.
Wu, Z., Mechanical Fringe Shifting in Moire Interferometry, 16-19, Jan/Feb.
Yang, M. H., A Lab-Scale Digital Acoustic Emission System for Source Location, 32-35, Jul/Aug.
Zenina, A., Superficial Residual Stress Analysis in a Photoelastic Medium by Phase Shifting Technique, 22-25, Jan/Feb.
Zhang, M., Meso-Mechanical Investigation of the Three Dimensional Displacement Fields Around a Crack Tip, 27-31, Jul/Aug.

The EASY Strain Gage



No solder tabs! No soldering! That's why we call it the "easy" strain gage

Texas Measurements, Inc.

TML

P. O. Box 2618
College Station, Texas 77841
Web Site: www.straingage.com

Phone: (409)764-0442
Fax: (409)696-2390
E-mail: sales@straingage.com